














1137N




1137F


1137

NR	ELEMENT	1137N	1137F
E1		1	1
E2		1	1
E3		1	1
E4		1	1
E5		1	1
E6	 F11P_2_HP_g13_v2	1	1

NR	ELEMENT	1137N	1137F
E7	 <p>F11P_1_HP_g13_v2 83cm x 83cm</p>	1	1
E8	 <p>F11D_4_PE_g15_v1 100cm x 96cm</p>	1	1
E9	 <p>R1100_3_Y_v1 L= 70cm</p>	3	3
E10	 <p>H=150cm</p>	1	1
E11	 <p>H=120cm</p>	1	1
E12	 <p>H=120cm</p>	1	1

NR	ELEMENT	1137N	1137F
E13	 <p>F71X_11_PE_g15_v1</p>	1	1
E14	 <p>F1100_1_PE_g15_v1</p>	1	1
E15	 <p>F1100_9_PE_g15_v1</p>	1	1
E16	 <p>F11X_12_PE_g15_v2</p>	1	1
E17	 <p>F11X_4_PE_g15_v2</p>	2	2
E18	 <p>F11X_11_PE_g15_v1</p>	2	2


[illegible]



1137N

1137F

Nr	Element	DIN	ELEMENT	Σ	Σ
10		DIN 9021	6x18	31	31
15		ISO 7380	M6x30	20	20
16		-	K1_d21_B	31	31
17		-	Z1_d21_B	31	31
18		DIN 985	M6	27	27
21		DIN 125	8x16	22	26
22		DIN 125	6x12	51	55
23		-	M6x12	22	26
24		ISO 7380	M6x16	8	12
25		ISO 7380	M6x35	23	23
29		-	K_5_A2_g2_G_v2	4	4
51		ISO 7380	M6x45	4	4
58		-	LOCTITE	1	1
61		-	KL105		23
109		DIN 913	10x10	2	2
121		-	7100_5_A2_g3_G_v1		2
139		DIN 7991	M6x16	14	14




1137N

1137F


Nr	Element	DIN	ELEMENT	Σ	Σ
213		-	Z_NA_1	1	1
214		-	Z_NA_2	1	1

1137N
1137F




Technical drawing of a mechanical part, likely a bracket or support, showing dimensions in millimeters. The drawing includes a top view and a side view. Key dimensions are:

- Overall width: 720
- Overall height: 564
- Distance from left edge to center of mounting holes: 313
- Distance from center of mounting holes to right edge: 207
- Distance from left edge to center of mounting holes: 200
- Distance from center of mounting holes to right edge: 207
- Distance from left edge to center of mounting holes: 100
- Distance from center of mounting holes to right edge: 150
- Distance from left edge to center of mounting holes: 100
- Distance from center of mounting holes to right edge: 194



1137N
1137F




1

1137N
1137F



INST_11_18
INST_11_73




2

1137N
1137F




INST_11_07
INST_11_43
INST_11_68A




3 1137N
1137F

INST_11_68A



4 1137N
1137F


INST_11_18



5 1137N
1137F




INST_11_18
INST_11_66



6 1137N
1137F




INST_11_41
INST_11_68A




7 1137N
1137F





INST_11_68B
INST_11_68C
INST_11_68D



8 1137N
1137F

INST_11_70
INST_Z_1





Nr	Σ	Element	DIN	ELEMENT
61	3		-	KL105

